







art.-no.	article-description	picture	unit	
	frame-profile (treated = cut + with holes)			
505	non-treated for <i>Junior</i>		1 m	
507	treated for <i>Junior</i>		1 m	
5100	non-treated for <i>Alu-Rapid/Alu-Rapid-V</i>		1 m	
5101	treated for <i>Alu-Rapid/Alu-Rapid-V</i>		1 m	
5102	non-treated <i>Super-Rapid</i>		1 m	
5103	treated for <i>Super-Rapid</i>		1 m	
	stickfoot-corner-section			
1703	with mounting-set for <i>40/40 mm</i> stickfeet		1 no.	
1221	without mounting-set f. <i>40/40 mm</i> stickfeet		1 no.	
V1703	with mounting-set for <i>Alu-Rapid-V</i>		1 no.	
V1221	without mounting-set f. <i>Alu-Rapid-V</i>		1 no.	
1419	with mounting-set for <i>Super-Rapid</i>		1 no.	
1419/1	without mounting-set f. <i>Super-Rapid</i>		1 no.	
	as before, but with fast-mounting-grip			
1704	with mounting-set for <i>40/40 mm</i> stickfeet		1 no.	
1704-M	without mounting-set f. <i>40/40 mm</i> stickfeet		1 no.	
1707	fast-mounting-grip (only grip)		1 no.	
	special stickfoot-corner-section for podiums with special angles			
1703S	complete for <i>40/40 mm</i> stickfeet		1 no.	
	jam-angle			
1702	for corner-section <i>40/40 mm</i> stickfeet		1 no.	
	jam-segment			
V1702	for <i>Alu-Rapid-V</i> corner-section		1 no.	
	cover-piece			
V1706	for <i>Alu-Rapid-V</i> corner-section		1 no.	
	wing-screw			
1705	for corner-section <i>40/40 mm</i> (M10x25)		1 no.	
V1705	for corner-section <i>Alu-Rapid-V</i> (M10x70)		1 no.	
	mounting-set			
1232	for corner-section <i>40/40 mm</i>		1 no.	
V1232	for corner-section <i>Alu-Rapid-V</i>		1 no.	

	alu-stickfeet 40/40/2,5 mm			
1200	podium-height 20 cm		1 set = 4 no.	
1201	podium-height 40 cm		1 set = 4 no.	
1202	podium-height 60 cm		1 set = 4 no.	
1203	podium-height 80 cm		1 set = 4 no.	
1204	podium-height 100 cm		1 set = 4 no.	

art.-no.	article-description	picture	unit	
	alu-stickfeet 60/60/2 mm			
V2200	podium-height 20 cm		1 set = 4 no.	
V2201	podium-height 40 cm		1 set = 4 no.	
V2202	podium-height 60 cm		1 set = 4 no.	
V2203	podium-height 80 cm		1 set = 4 no.	
V2204	podium-height 100 cm		1 set = 4 no.	
V2205	podium-height 120 cm		1 set = 4 no.	
V2206	podium-height 140 cm		1 set = 4 no.	
	alu-stickfeet 60/60/4 mm			
V1200	podium-height 20 cm		1 set = 4 no.	
V1201	podium-height 40 cm		1 set = 4 no.	
V1202	podium-height 60 cm		1 set = 4 no.	
V1203	podium-height 80 cm		1 set = 4 no.	
V1204	podium-height 100 cm		1 set = 4 no.	
V1205	podium-height 120 cm		1 set = 4 no.	
V1206	podium-height 140 cm		1 set = 4 no.	
V1207	podium-height 160 cm		1 set = 4 no.	
	plastic-inset for stickfeet			
1502	round overlapping for stickfoot 40/40 mm		1 no.	
V1502	square plug for stickfoot 60/60 mm		1 no.	
	spindle-set for round plastic-inset			
1512	for stickfeet 40/40 mm		1 set	
	PVC-spindle			
1503-K	for stickfeet 40/40 mm		1 no.	
	spindle with metal inset			
1503	for stickfeet 40/40 mm		1 set = 4 no.	
	telescopic-feet for 40/40 mm corner-section			
1600	height-adjustment 40 – 60 cm		1 set = 4 no.	
1601	height-adjustment 50 – 80 cm		1 set = 4 no.	
1602	height-adjustment 60 – 100 cm		1 set = 4 no.	
1603	height-adjustment 80 – 140 cm		1 set = 4 no.	
1604	height-adjustment 100 – 160 cm		1 set = 4 no.	

art.-no.	article-description	picture	unit	
	telescopic-feet for 40/40 mm corner-section with plastic-inset for in- + outdoor use			
1600P	height-adjustment 40 – 60 cm		1 set = 4 no.	
1601P	height-adjustment 50 – 80 cm		1 set = 4 no.	
1602P	height-adjustment 60 – 100 cm		1 set = 4 no.	
1603P	height-adjustment 80 – 140 cm		1 set = 4 no.	
1604P	height-adjustment 100 – 160 cm		1 set = 4 no.	
	telescopic-feet for 60/60 mm corner-section			
V1602	height-adjustment 60 – 100 cm		1 set = 4 no.	
V1603	height-adjustment 80 – 140 cm		1 set = 4 no.	
V1604	height-adjustment 100 – 160 cm		1 set = 4 no.	
	telescopic-feet for 60/60 mm corner-section with plastic-inset for in- + outdoor use			
V1602P	height-adjustment 60 – 100 cm		1 set = 4 no.	
V1603P	height-adjustment 80 – 140 cm		1 set = 4 no.	
V1604P	height-adjustment 100 – 160 cm		1 set = 4 no.	
	Alu-stickfeet round tube Ø 48 mm for Alu-Rapid V			
Vr1200	Podium-height 20 cm		1 Set = 4 Stk.	
Vr1201	Podium-height 40 cm		1 Set = 4 Stk.	
Vr1202	Podium-height 60 cm		1 Set = 4 Stk.	
Vr1203	Podium-height 80 cm		1 Set = 4 Stk.	
Vr1204	Podium-height 100 cm		1 Set = 4 Stk.	
Vr1205	Podium-height 120 cm		1 Set = 4 Stk.	
Vr1206	Podium-height 140 cm		1 Set = 4 Stk.	
Vr1207	Podium-height 160 cm		1 Set = 4 Stk.	
Vr1208	Podium-height 180 cm		1 Set = 4 Stk.	
Vr1209	Podium-height 200 cm		1 Set = 4 Stk.	
Vr1210	Podium-height 220 cm		1 Set = 4 Stk.	
Vr1211	Podium-height 240 cm		1 Set = 4 Stk.	
Vr1212	Podium-height 260 cm		1 Set = 4 Stk.	
Vr1213	Podium-height 280 cm		1 Set = 4 Stk.	
Vr1214	Podium-height 300 cm		1 Set = 4 Stk.	

	wooden cover for podium 2 m x 1 m			
5056	22 mm, brown stained or without treatment		1 no.	
5049	19 mm, brown stained or without treatment		1 no.	
	wooden cover for podium 1 m x 1 m			
5056/1x1	22 mm, brown stained or without treatment		1 no.	
5049/1x1	19 mm, brown stained or without treatment		1 no.	

art.-no.	article-description	picture	unit	
	waterproof cover for podium 2 m x 1 m			
5054	22 mm, dark brown		1 no.	
5057	19 mm, dark brown		1 no.	
	waterproof cover for podium 1 m x 1 m			
5084	22 mm, dark brown		1 no.	
5084/1	19 mm, dark brown		1 no.	
5065	Klemmfix podium-connector		1 no.	
5066	screw for Klemmfix		1 no.	
5064	H-profile aluminium podium-connector		1 no.	
5058	stabilisation-stick		1 no.	
5068	tool for podium-connector		1 no.	
5082	PVC-clip, red (could be used instead of Klemmfix for Alu-Rapid, Rapid V)		1 no.	
5087	Steel-clip (could be used instead of Klemmfix for Alu-Rapid, Rapid V)		1 no.	
	column-clamp			
1504	2-column-clamp for stickfeet 40/40 mm		1 no.	
V1504	2-column-clamp for stickfeet 60/60 mm		1 no.	
1499	4-column-clamp for stickfeet 40/40 mm		1 no.	
V1499	4-column-clamp for stickfeet 60/60 mm		1 no.	
	diagonal-bracing Ø 30 mm			
1506	for podium-heights > 100 cm, stickfeet 40/40 mm		1 m	
	Alu-Quick coupling for diagonal-bracing Ø 30 mm and stickfoot			
1505	for stickfeet 40/40 mm		1 no.	
	diagonal-bracing-system for stickfeet 40/40 mm			
1514	100 cm horizontal		1 no.	
1515	100 cm diagonal		1 no.	

art. -no.	article-description	picture	unit	
1516	200 cm horizontal		1 no.	
1517	200 cm diagonal		1 no.	

	transportwheel-set for stickfoot-podiums			
1303	2 swivel- + 2 fixed wheels. Standard for stickfoot-corner-section 40/40 mm stickfoot		1 set	
1305	as before, but with smooth wheels for sensitive floors		1 set	
	2 swivel- + 2 fixed wheels. Standard for stickfoot-corner-section 60/60 mm stickfoot		1 set	
	as before, but with smooth wheels for sensitive floors		1 set	
	swivel-wheel			
1302	for standard-transportwheel-set (= incl. adapter-plate), 40/40 mm		1 no.	
1302-W	as before, but with smooth surface for sensitive floors		1 no.	
	for standard-transportwheel-set (= incl. adapter-plate), 60/60 mm		1 no.	
	as before, but with smooth surface for sensitive floors		1 no.	
	fixed wheel			
1301	for standard-transportwheel-set (= incl. adapter-plate), 40/40 mm		1 no.	
1301-W	as before, but with smooth surface for sensitive floors		1 no.	
	for standard-transportwheel-set (= incl. adapter-plate), 60/60 mm		1 no.	
	as before, but with smooth surface for sensitive floors		1 no.	
	transport trolley			
5071	standard (2 swivel- / 2 fixed wheels)		1 no.	
5073	with smooth wheels for sensitive floors		1 no.	

	railing / handrail			
5000	standard, 1 x 1 m, round tube, black coated		1 no.	
5001	standard, 2 x 1 m, round tube, black coated		1 no.	
5000/PK1	special, 1,1 x 1 m (height x width) with certificated static		1 no.	

art.-no.	article-description	picture	unit	
	railing-clamp			
5008	for standard-railing		1 no.	
1416	for special-railing STRAIGHT		1 no.	
1417	for special-railing CORNER		1 no.	
1418	for special-railing STEP (20 cm)		1 no.	
	mounting-screw with handknob	 Modell 02  Modell 0209		
5005	for standard-railing-fixation or stair-fixation		1 no.	
	fixation material for special-railing		1 no.	
	steps stickable model 02 (standard till January 2009): each step: 93,5 cm wide x 25 cm deep x 20 cm rise model 0209 (standard beginning February 2009): each step: 100 cm wide x 26 cm deep x 20 cm rise cover: standard wooden cover, brown stained			
5010	1-step (for podium-height 40 cm)		1 no.	
5011	2-steps (for podium-height 60 cm)		1 no.	
5012	3-steps (for podium-height 80 cm)		1 no.	
5013	4-steps (for podium-height 100 cm)		1 no.	
5010S	1-step, equipped with waterproof cover		1 no.	
5011S	2-steps, equipped with waterproof cover		1 no.	
5012S	3-steps, equipped with waterproof cover		1 no.	
5013S	4-steps, equipped with waterproof cover		1 no.	
	spindle-foot black			
5017	for leg of first step		1 no.	
	Balustrade (please respect MODEL!)			
5018-S	for 2-step stair		1 no.	
5018	for 3- or 4-step stair		1 no.	
	chair-holding-border incl. fixation-material	 		
5061	length: 1 m		1 no.	
5062	length: 2 m		1 no.	
5059	fixation for chair-holding-border		1 no.	

art.-no.	article-description	picture	unit	
	Textile facing • Trevira CS • ready with velcro-tape • max. for 100 cm podium-height			
6000	Black, Anthracite ... a lot colours available		1 m	
6001	velcro-tape male , 18 mm, for fixation on the podium (self-adhesive)		1 m	
6002	velcro-tape female (sewed on the facing)		1 m	
	wooden facing • beech-veneer, 16 mm thick • surface <u>non-treated</u> • incl. fixation material			
5025	height 20 – 60 cm		1 m	
5026	height 80 – 100 cm		1 m	
5040	fixation clip for wooden facing		1 no.	
Z10012	alu-edge-cover for podiums		1 no.	

Delivery-time: must be agreed / ex stock
 Delivery : ex work
 Payment : must be agreed